



SUBSTITUTE SPECIFICATION
(Clean Copy)

1 47497/VGG/C614

HYBRID TEA ROSE PLANT NAMED 'INTREPID RED'

5 CLASSIFICATION

The present invention relates to a new Rosaceae plant.

VARIETY DENOMINATION

The new plant has the varietal denomination 'INTREPID RED'.

10

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct variety of rose plant of the hybrid tea rose of the genus Rosaceae which was created by crossing as seed and pollen parents two (2) unknown rose varieties. The varietal denomination of the new variety is 'INTREPID RED'.

SUMMARY OF THE INVENTION

Among the novel characteristics possessed by this new variety which distinguishes it from other varieties of which I am aware, is its dark red flowers.

Asexual reproduction by propagation by budding of the new variety as performed in Wasco, California shows that the foregoing and other distinguishing characteristics come true to form and are established and transmitted through succeeding propagations.

30

35

SUBSTITUTE SPECIFICATION
(Clean Copy)

1 47497/VGG/C614

BRIEF DESCRIPTION OF ILLUSTRATION

5 The accompanying illustration shows typical specimens of the
flowers and foliage of the new variety depicted in color as
nearly true as it is reasonably possible to make the same in a
color illustration of this character.

10

15

20

25

30

35

**SUBSTITUTE SPECIFICATION
(Clean Copy)**

1 47497/VGG/C614

DESCRIPTION OF THE NEW VARIETY

5 The following is a detailed description of 2-year budded
plants of the new variety , with color terminology in accordance
with *The Royal Horticultural Society Colour Chart* (RHSCC). The
terminology used in color description herein refers to plate
numbers in the aforementioned color chart. Phenotypic expression
may vary with light availability, environmental and cultural
10 conditions.

 The following observations are made of specimens grown
outdoors in Wasco, California, during November budded on
'DR. HUEY' understock.

PLANT

15	Form:	Compact
	Growth:	Medium vigor
	Size:	Height about 48 inches; width about 32 inches
20	Foliage	
	Size:	Terminal leaflet length about 2 3/16 inches; width about 1 1/4 inches
	Quantity:	Usually about 5 compound 25 leaflet leaves, occasionally 7 leaflet leaves
	Color	
	New foliage:	Upper side near 136A; under side near 136B
30	Mature foliage:	Upper side near 137A; under side near 137C
	Shape:	Elliptic
	Texture	
35	Upper side:	Smooth, semi-glossy

SUBSTITUTE SPECIFICATION
(Clean Copy)

1 47497/VGG/C614

	Under side:	Matte
	Edge:	Serrated
5	Serration:	Slight
	Petioles:	Top surface color near 138B; Under side near 138B
	Stipules:	Medium length
10	Rachis:	Few prickles
	Variegation:	None observed

WOOD

	New shoots	
15	Bark:	Smooth
	Wood:	Near 47B
	Old wood	
	Bark:	Smooth
	Wood:	Near 140B
20	Flowering stem:	Length about 18 to 20 inches
	Winter Hardiness:	Completely winter hardy
	Resistance to Disease:	Average
	Preferred growing	
25	conditions:	Full sun
	Growth habit:	Compact
	Leaves per stem:	About 5

FLOWER/INFLORESCENCE

30	Blooming Habit:	Continuous
	Bud	Length about 1 1/2 inches; width about 1 1/2 inches
	Form:	Classic rose

35

SUBSTITUTE SPECIFICATION
(Clean Copy)

1 47497/VGG/C614

5 Color: Before sepals divide color
near 53A; when sepals first
divide color near 53B; when
petals begin to unfurl color
near 53A

10 Sepals: Pointed and serrated, usually
5 sepals, occasional
extensions about 5/8 inch

 Size: Length in relation to bud,
about 1 3/4 inches

15 Color Topside near 156D; bottom
near 138C

 Peduncle

 Length: About 2 inches

 Aspect: Strong, erect

20 Color: Near 141D

 Flower

 Size: About 4 1/4 inches

 Borne: Single - one per stem

 Form: High centered

25 Petalage: About 29, petals fan-shaped,
petals imbricated, margins
smooth

 Petaloids in center: Few, usually about 3, color
near 74A

30 Persistence: Average

 Fragrance: Slight

 Lasting Quality: About 3 weeks on plant; about
7 days after cutting

35 Color

SUBSTITUTE SPECIFICATION
(Clean Copy)

1 47497/VGG/C614

During first 2 days:

Inner petals at flower center
topside near 60C; bottom near
63A; outer petals topside
near 60C, bottom near 63A

Base of petals

(Point of attachment):

Near 2B

General tonality from a distance:

Near 63A

Color Change:

As bloom ages to near 63A;
after 3 or more days color
near 63A

Petals

Texture:

Soft

Shape:

Longer than wide

Arrangement :

Imbricated

Appearance:

Velvety front; satiny back

REPRODUCTIVE ORGANS

Arrangement of stamens,
Filaments and Anthers:

Regularly arranged around
styles, about 50 filaments
and anthers, no pollen
observed

Color:

Filaments near 5B; Anthers
near 6B

Styles:

Medium length

Hips/Seed Vessels/Ovaries

Shape:

Round

Size:

About 1/4 inch

Color:

Near 141C

Seeds :

No seeds